



 WhisperPower BV (the Netherlands)

 WhisperPower Germany

 WhisperPower Russia

 WhisperPower UK

 WhisperPower Spain

 WhisperPower USA

 WhisperPower China

 WhisperPower Pacific

green energy solutions

WhisperPowerBook

green energy solutions • **Pricelist 2014**



Represented in over 50 countries
www.whisperpower.com

Head office

WhisperPower BV
Kelvinlaan 82
9207 JB Drachten
The Netherlands

Tel: +31 (0) 512 571 550
Fax: +31 (0) 512 571 599

info@whisperpower.com
www.whisperpower.com

Distributor/Dealer:



Valid from 01-02-2014 - 31-12-2014



green energy solutions



Whisper**Power**Book Pricelist 2014



Power conversion

Inverters - AC power from the battery	4
Battery chargers multi-step	4
Inverter / battery charger combinations	4

Power storage

AGM batteries	5
GEL batteries	5
Battery consumption meters	5
Lithium-ION batteries + accessories	6

Power generation

Genverter power systems	7
Diesel generators 3000 / 3600 rpm	8
Diesel generators 1500 / 1800 rpm	9
Hydraulic power packs	11

Around the generator – installation accessories	12
Generator systems – spare parts (fast moving)	13
WhisperPower solar panels	15
DC Belt Power – belt driven 12/24V alternators	15
AC Belt Power – belt driven 230V alternators	15

Power distribution

	page
DC-DC converters	16
WP-Logic – digital distribution and monitoring	16
Battery isolators	16
DC circuit breaker systems	16
Hull isolation transformers	17

Hybrid propulsion & power

Hybrid systems	17
----------------	----

Specific: Mobile / Land applications

Power generation

Genverter power systems	page 18
Diesel generators 3000 / 3600 rpm	19
Diesel generators 1500 / 1800 rpm	19

Installation accessories:

- Radiator cooling systems	20
- Exhaust systems	20
- Various installation accessories	20

Solar (diesel) System kits

Special 'all-in-one' ready to use systems:	page
- Grid independence concept	21
- Generator / solar / wind systems	21

Various

- Terms and Conditions of Sale	22
- Service & support	23
- Contact addresses	24

SINE WAVE INVERTER - SWITCHED MODE TECHNOLOGY		ORANGE LABEL			
61120510	WP Sine 12V / 400VA • NEW!	12V → 230V / 50Hz	P	295,-	
61121500	WP Sine 12V / 1000VA	12V → 230V / 50Hz	P	350,-	
61122500	WP Sine 12V / 2000VA	12V → 230V / 50Hz	P	475,-	
61140500	WP Sine 24V / 400VA	24V → 230V / 50Hz	P	295,-	
61141500	WP Sine 24V / 1000VA	24V → 230V / 50Hz	P	350,-	
61142500	WP Sine 24V / 2000VA	24V → 230V / 50Hz	P	475,-	
SINE WAVE INVERTERS - HEAVY DUTY - SWITCHED MODE TECHNOLOGY • NEW! - Available Q3-2014					
60203004	AC PowerCube 24/7000 - 7kVA		L	3.990,-	
60203008	AC PowerCube 48/7000 - 7kVA		L	4.285,-	
60203005	AC PowerCube 24/14000 - 14kVA		L	7.980,-	
60203009	AC PowerCube 48/14000 - 14kVA		L	8.570,-	
WHISPERPOWER PORTABLE BATTERY CHARGERS • WBC HANDY SERIE • ORANGE LABEL					
61112002	WBC-Handy 20 battery charger 12V / 2A - suitable for 230V / 50-60Hz		P	49,-	
61112003	WBC-Handy 20 battery charger 12V / 2A - suitable for 230V / 50-60Hz UK version		P	49,-	
61112007	WBC-Handy 70 battery charger 12V / 7A - suitable for 230V / 50-60Hz		P	99,-	
61112008	WBC-Handy 70 battery charger 12V / 7A - suitable for 230V / 50-60Hz UK version		P	99,-	
61112015	WBC-Handy 150 battery charger 12V / 15A - suitable for 230V / 50-60Hz		P	159,-	
61112016	WBC-Handy 150 battery charger 12V / 15A - suitable for 230V / 50-60Hz UK version		P	159,-	
ACCESSORIES & OPTIONS					
61112901	WBC-Handy, cable kit - fixed installation	(Supplied as standard)	P	11,-	
61112911	WBC-Handy, cable kit - clamps	(Supplied as standard)	P	14,-	
WHISPERPOWER CHARGER - WP-SUPREME SERIE • 3-STEP CHARGING METHOD • ORANGE LABEL					
61112302	WP-Supreme 12/20 - 3 outputs		P	295,-	
61112304	WP-Supreme 12/40 - 3 outputs		P	395,-	
61112306	WP-Supreme 12/60 - 3 outputs		P	445,-	
61124303	WP-Supreme 24/30 - 3 outputs		P	525,-	
61148002	WP-Supreme 48/20 - 1 output • NEW!		P	595,-	
DC POWERCUBE CHARGER / POWER SUPPLY/ WITH GENERATOR AND LAND INPUT					
60202001	DC PowerCube 12/200 - 200A main output	incl 2 nd output 12V / 20A	P	1.995,-	
60202002	DC PowerCube 24/150 - 150A main output	incl 2 nd output 12V / 20A	P	1.995,-	
60202003	DC PowerCube 48/75 - 75A main output	incl 2 nd output 12V / 20A	P	1.995,-	
60202050	DC PowerCube remote panel (Supplied as standard)		P	120,-	
WP COMBI SUPREME					
61121040	WP CombiSupreme 12V / 1000 - 40A • NEW!		P	795,-	
61122055	WP CombiSupreme 12V / 2000 - 55A • NEW!		P	995,-	
SINE WAVE INVERTER / CHARGER COMBINATIONS • WP-COMBI SERIE • LOW FREQUENCY TECHNOLOGY * • ORANGE LABEL					
61112280	WP-Combi 12V / 2000 - 80A	+ 3A slave / 230V / 50Hz	P	1.395,-	
61124360	WP-Combi 24V / 3000 - 60A	+ 3A slave / 230V / 50Hz	P	1.695,-	
61148330	WP-Combi 48V / 3000 - 30A	230V / 50Hz	P	1.895,-	
61112285	WP-Combi 12V / 2000 - 80A	+ 3A slave / 120V / 60Hz	P	1.495,-	
61124365	WP-Combi 24V / 3000 - 60A	+ 3A slave / 120V / 60Hz	P	1.875,-	
WHISPERPOWERCENTRE • WPC • SYSTEM COMBI • DUAL AC INPUT, DUAL AC OUTPUT					
60201001	WPC 12/2000 (6000VA max)	100A - 230V / 50-60Hz	R	2.148,-	
60201002	WPC 24/3500 (9000VA max)	90A - 230V / 50-60Hz	R	2.354,-	
60201006	WPC 24/5000 (12000VA max)	140A - 230V / 50-60Hz	R	2.833,-	
60201007	WPC 24/7000 (18000VA max)	180A - 230V / 50-60Hz = 2 x WPC 24/3500	R	4.708,-	
60201008	WPC 24/10000 (20000VA max)	270A - 3 x 380V 3 phase = 3 x WPC 24/3500	R	7.062,-	
60201003	WPC 48/4000 (10500VA max)	50A - 230V / 50-60Hz	R	2.549,-	
60201004	WPC 48/8000 (21000VA max)	100A - 230V / 50Hz = 2 x WPC 48/4000 stack	R	5.098,-	
ACCESSORIES					
60201080	WPC-RCC	Remote panel in case used as WPC / without generator	R	380,-	
60201150	WPC-PSCP	Combined DDC and ECC panel - standard supplied with GV-7i models	R	695,-	
60201082	WPC-BSI 500	Measurement interface including 500A shunt for accurate Ah counting	R	314,-	



AC PowerCube

DC PowerCube
(dual input)

PSCP WPC

BSI 500

AGM POWER - 12 VOLT BATTERIES - MAINTENANCE FREE HEAVY-DUTY BATTERIES (C10)					
Type	Dimensions (l x w x h)	Weight			
40290060	12V / 55Ah deep cycle AGM battery	229 x 138 x 235 mm	18 kg	K	153,-
40290061	12V / 80Ah deep cycle AGM battery	350 x 167 x 180 mm	24 kg	K	201,-
40290031	12V / 100Ah deep cycle AGM battery	328 x 172 x 222 mm	30 kg	K	232,-
40290062	12V / 145Ah deep cycle AGM battery	340 x 173 x 285 mm	44 kg	K	342,-
40290063	12V / 200Ah deep cycle AGM battery	522 x 240 x 219 mm	60 kg	K	454,-
40290064	12V / 260Ah deep cycle AGM battery	520 x 268 x 220 mm	74 kg	K	575,-

AGM POWER - 12 VOLT BATTERIES - H (C20)					
Type	Dimensions (l x w x h)	Weight			
40290030	12V / 90Ah AGM-Power H • NEW!	350 x 167 x 183 mm	22 kg	K	198,-
40290033	12V / 165Ah AGM-Power H • NEW!	483 x 170 x 240 mm	47 kg	K	345,-

GEL POWER - 12 VOLT BATTERIES (C20)					
Type	Dimensions (l x w x h)	Weight			
40290070	12V / 100Ah deep cycle pure GEL battery	328 x 172 x 222 mm	30 kg	K	280,-
40290071	12V / 145Ah deep cycle pure GEL battery	340 x 173 x 280 mm	44 kg	K	400,-
40290072	12V / 180Ah deep cycle pure GEL battery	530 x 209 x 214 mm	53 kg	K	499,-
40290073	12V / 225Ah deep cycle pure GEL battery	522 x 240 x 219 mm	65 kg	K	632,-

BATTERY POLE					
40290097	Battery pole suitable for the WhisperPower AGM and GEL batteries ≤ 80Ah - complete with M6 bolt.	V			8,-
40290099	Battery pole suitable for the WhisperPower AGM and GEL batteries ≥ 100Ah - complete with M8 bolt.	V			8,-

GEL POWER - 2 VOLT CELLS OPZV					
Type	Dimensions (l x w x h)	Weight			
40290040	2V / 750Ah	145 x 206 x 667*	50 kg	L	386,-
40290041	2V / 1000Ah	191 x 210 x 668*	68 kg	L	508,-
40290042	2V / 1250Ah	233 x 210 x 670*	82 kg	L	567,-
40290043	2V / 1500Ah	275 x 210 x 669*	97 kg	L	679,-
40290044	2V / 1650Ah	275 x 210 x 820*	120 kg	L	773,-

WBM WHISPERPOWER BATTERY CONSUMPTION METERS					
40290310	WBM-Basic		P		172,-
40290311	WBM-Pro includes 'Time remaining' function		P		228,-
40290312	WBM-Pro HV (High Voltage)		P		314,-

ACCESSORIES					
40290300	WBM 6m Connection kit		P		38,-
40290301	WBM 12m Connection kit		P		50,-
40290303	WBM 3m Quick Connection kit		P		31,-
40290304	WBM 10m Temperature Sensor kit		P		31,-
40290305	WBM-RS-232 Communication kit		P		161,-
40290306	WBM-USB Communication kit		P		161,-
40290307	WBM1:5 Voltage prescaler kit		P		103,-
40290308	WBM Alarm output expander kit		P		59,-
40290320	WBM1200A / 50mV shunt		P		70,-
40290321	WBM 500A / 50mV Shunt (standard with the WBM-Basic, WBM and WBM Pro-Pro HV)		P		25,-



Shunt




Delivered in a light weight aluminum cabinet



24 V / 1000Ah Li-ionset in medical vehicle



BMS included



The DC Distribution cabinet controls the Lithium Ion batteries. It contains the DC fuses, shunts, 300A safety relay, and controls the cell-balancing, charging and discharging of the system. The DC Distribution cabinet is pre-wired for your application, it saves your installation time and protects the battery pack against overcharging and discharge.



LI-ION BATTERIES - TECHNOLOGY: LI FE Y PO4 (LITHIUM ION IRON PHOSPHATE) - 12V SYSTEMS				
Type	Weight			(Euro excl. VAT)
40290202 12V / 160Ah - incl. BMS	22.4 kg	M		2.590,-
40290203 12V / 200Ah - incl. BMS	29 kg	M		2.975,-
40290204 12V / 400Ah - incl. BMS	54 kg	M		4.390,-
40290205 12V / 700Ah - incl. BMS	84 kg	M		6.400,-
40290206 12V / 1000Ah - incl. BMS	132 kg	M		8.590,-

LI-ION BATTERIES - TECHNOLOGY: LI FE Y PO4 (LITHIUM ION IRON PHOSPHATE) - 24V SYSTEMS				
Type	Weight			(Euro excl. VAT)
40290212 25.6V / 160Ah - incl. BMS	44.8 kg	M		At request
40290223 25.6V / 200Ah - incl. BMS	58.4 kg	M		At request
40290224 25.6V / 400Ah - incl. BMS	108 kg	M		At request
40290225 25.6V / 700Ah - incl. BMS	168 kg	M		At request
40290226 25.6V / 1000Ah - incl. BMS	264 kg	M		At request

LI-ION BATTERIES - TECHNOLOGY: LI FE Y PO4 (LITHIUM ION IRON PHOSPHATE) - 48V SYSTEMS				
Type	Weight			(Euro excl. VAT)
40290243 51.2V / 200Ah - incl. BMS	116.8 kg	M		At request
40290244 51.2V / 400Ah - incl. BMS	216 kg	M		At request
40290245 51.2V / 700Ah - incl. BMS	336 kg	M		At request
40290246 51.2V / 1000Ah - incl. BMS	528 kg	M		At request
40290247 51.2V / 1000Ah - incl. BMS	560 kg	M		At request

ACCESSORIES FOR LITHIUM ION BATTERIES				(Euro excl. VAT)
40290250 Bi-stable relay for tripping on voltage / deep discharge 12V	M			189,-
40290251 Bi-stable relay for tripping on voltage / deep discharge 24V	M			189,-
40290252 Bi-stable relay for tripping on voltage / deep discharge 48V	M			269,-

LI-ION DC DISTRIBUTION CABINET				(Euro excl. VAT)
50214800 Li-Ion DC distribution cabinet 12V <2kVA / BSI shunt	M			1.395,-
50214801 Li-Ion DC distribution cabinet 12V <2kVA / WBM shunt	M			1.360,-
50214802 Li-Ion DC distribution cabinet 12V >2kVA / BSI shunt	M			1.440,-
50214803 Li-Ion DC distribution cabinet 12V >2kVA / WBM shunt	M			1.390,-
50214804 Li-Ion DC distribution cabinet 24V <3,8kVA / BSI shunt	M			1.475,-
50214805 Li-Ion DC distribution cabinet 24V <3,8kVA / WBM shunt	M			1.435,-
50214806 Li-Ion DC distribution cabinet 24V >3,8kVA / BSI shunt	M			1.575,-
50214807 Li-Ion DC distribution cabinet 24V >3,8kVA / WBM shunt	M			1.535,-
50214808 Li-Ion DC distribution cabinet 48V / BSI shunt	M			1.575,-
50214809 Li-Ion DC distribution cabinet 48V / WBM shunt	M			1.535,-

VARIABLE SPEED DIESEL GENVERTER - BASIC MODELS • AC SYSTEMS				
49002005 M-GV 4 Basic 1 Cyl. 230V / 3.8kVA / 50HZ - PM Technology - Compact • NEW! Available Q3-2014	A			4.590,-
41002005 M-GV 4 Basic 1 Cyl. 230V / 3.8kVA / 50HZ - PM Technology - Classic	A			5.484,-
REMOTE CONTROL FOR GENVERTER BASIC				
40209102 DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel	V			307,-
ACCESSORIES & OPTIONS				
40230201 Water inlet kit 12.5 mm (1/2")		wet exhaust	D	142,-
40230272 Syphon breaker kit 12.5 mm (1/2")		wet exhaust	D	147,-
40230251 DELTA Exhaust kit 40 mm (1 5/8")		wet exhaust	D	373,-
40230261 DELTA Water-gas separ. kit 40 mm (1 5/8")		wet exhaust	D	521,-
40290060 12V / 55Ah deep cycle AGM battery		229 x 138 x 235 mm / 18 kg	K	153,-
40222204 WPL-10w40 General, Motoroil, 4 litre			V	39,-

PROGRAMMABLE SPEED DIESEL GENVERTER - BASIC MODELS • AC SYSTEMS				
41005005 M-GV 8 Basic 2 Cyl. 230V / 8kVA / 50HZ - PM Technology	A			9.870,-
41005055 M-GV 8 Basic 2 Cyl. 120V / 8kVA / 60HZ - PM Technology	A			9.870,-
41009005 M-GV 10 Basic 3 Cyl. 230V / 10kVA / 50HZ - PM Technology	A			10.450,-
41009055 M-GV 10 Basic 3 Cyl. 120V / 10kVA / 60HZ - PM Technology	A			10.450,-
41007005 M-GV 12 Basic 3 Cyl. 230V / 12kVA / 50HZ - PM Technology	A			At request
41007055 M-GV 12 Basic 3 Cyl. 120V / 12kVA / 60HZ - PM Technology	A			At request
REMOTE CONTROL FOR GENVERTER BASIC				
40209102 DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel	V			307,-
ACCESSORIES & OPTIONS				
40230211 Water inlet kit 20 mm (3/4")		wet exhaust	D	151,-
40230273 Syphon breaker kit 20 mm (3/4")		wet exhaust	D	141,-
40230251 DELTA Exhaust kit 40 mm (1 5/8")		wet exhaust	D	373,-
40230261 DELTA Water-gas separ. kit 40 mm (1 5/8")		wet exhaust	D	521,-
40290061 12V / 80Ah AGM starter battery			K	193,-
40222204 WPL-10w40 General, Motoroil, 4 litre			V	39,-
40222214 WPL Coolant G12, Coolant, 4 litre			V	27,-

M-GV 7i HYBRID GENERATOR VARIABLE SPEED, 1 CYLINDER, VERSIONS • AC/DC SYSTEMS				
41004205 M-GV 7i 230V / 3.8kVA + 2.0kVA 12V Power Centre - PM Technology, wet exhaust	A			8.250,-
41004405 M-GV 7i 230V / 3.8kVA + 3.5kVA 24V Power Centre - PM Technology, wet exhaust	A			8.825,-
41004805 M-GV 7i 230V / 3.8kVA + 3.5kVA 48V Power Centre - PM Technology, wet exhaust	A			9.875,-
60201150 WPC-PSCP Power System Control Panel, standard for the M-GV 7i	R			695,-
60201082 WPC-BSI 500 Battery Status Interface	R			314,-
60201084 WPC-RS232 Data Logger Module	R			238,-
60201086 WPC-BTS Battery Temperature Sensor	R			94,-
ACCESSORIES & OPTIONS				
40230201 Water inlet kit 12.5 mm (1/2")		wet exhaust	D	142,-
40230272 Syphon breaker kit 12.5 mm (1/2")		wet exhaust	D	147,-
40230251 DELTA Exhaust kit 40 mm (1 5/8")		wet exhaust	D	373,-
40230261 DELTA Water-gas separ. kit 40 mm (1 5/8")		wet exhaust	D	521,-
40290060 12V / 55Ah deep cycle AGM battery		229 x 138 x 235 mm / 18 kg	K	153,-
40222204 WPL-10w40 General, Motoroil, 4 litre			V	39,-

PROGRAMMABLE SPEED GENVERTER • DC SYSTEMS				
49001005 M-GV/1 Polyester Sound Shield • NEW!		Available Q3-2014	A	At request
41001105 M-GV/2K*		wet exhaust	A	9.583,-
41001205 M-GV/2M**		wet exhaust	A	9.583,-
41001305 M-GV/3K*		wet exhaust	A	10.990,-
41001405 M-GV/3M**		wet exhaust	A	10.990,-
60202001 DC PowerCube 12/200 - 200A main output		incl 2 nd output 12V / 20A	P	1.995,-
60202002 DC PowerCube 24/150 - 150A main output		incl 2 nd output 12V / 20A	P	1.995,-
60202003 DC PowerCube 48/75 - 75A main output		incl 2 nd output 12V / 20A	P	1.995,-
ACCESSORIES & OPTIONS				
40230211 Water inlet kit 20 mm (3/4")		wet exhaust	D	151,-
40230273 Syphon breaker kit 20 mm (3/4")		wet exhaust	D	141,-
40230251 DELTA Exhaust kit 40 mm (1 5/8")		wet exhaust	D	373,-
40230261 DELTA Water-gas separ. kit 40 mm (1 5/8")		wet exhaust	D	521,-
40290061 12V / 80Ah AGM starter battery			K	193,-
40222204 WPL-10w40 General, Motoroil, 4 litre			V	39,-
40222214 WPL Coolant G12, Coolant, 4 litre			V	27,-



3.5kVA



Service side



Polyester version of SC 6 and SC 8.



M-SC 3.5 DIESEL GENERATOR 3000 / 3600 RPM SUPER COMPACT SERIES				
40900600	M-SC 3.5 230V / 50Hz MARINE	wet exhaust	B	6.950,-
40900606	M-SC 3.5 230V / 50Hz MARINE	ungrounded, wet exhaust	B	7.995,-
40900655	M-SC 3.5 120V / 60Hz MARINE	USA version, wet exhaust	B	6.950,-
REMOTE CONTROL FOR WHISPER GENERATOR				
40209102	DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel			V 307,-
ACCESSORIES & OPTIONS				
40230201	Water inlet kit 12.5 mm (1/2")	wet exhaust	D	142,-
40230272	Syphon breaker kit 12.5 mm (1/2")	wet exhaust	D	147,-
40230251	DELTA Exhaust kit 40 mm (1 5/8")	wet exhaust	D	373,-
40230261	DELTA Water-gas separ. kit 40 mm (1 5/8")	wet exhaust	D	521,-
40230207	Base plate kit M-SC 3.5		D	395,-
40230217	Anti-vibration mounts, up to 280 kg		D	178,-
40290060	12V / 55Ah deep cycle AGM battery	229 x 138 x 235 mm / 18 kg	K	153,-
40222204	WPL-10w40 General, Motoroil, 4 litre		V	39,-

M-SC 6 DIESEL GENERATOR 3000 / 3600 RPM SUPER COMPACT SERIES				
40902005	M-SC 6P 230V / 50Hz MARINE	wet exhaust	B	8.853,-
41102005	M-SC 6 230V / 50Hz MARINE	wet exhaust	B	9.471,-
41102006	M-SC 6 230V / 50Hz MARINE	ungrounded, wet exhaust	B	10.595,-
41102030	M-SC 6 230V / 50Hz MARINE	keel cooling, dry exhaust	B	9.960,-
41102055	M-SC 6 120-240V / 60Hz MARINE	USA version, wet exhaust	B	9.840,-
REMOTE CONTROL FOR WHISPER GENERATOR				
40209102	DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel			V 307,-
ACCESSORIES & OPTIONS				
40230211	Water inlet kit 20 mm (3/4")	wet exhaust	D	151,-
40230273	Syphon breaker kit 20 mm (3/4")	wet exhaust	D	141,-
40230251	DELTA Exhaust kit 40 mm (1 5/8")	wet exhaust	D	373,-
40230261	DELTA Water-gas separ. kit 40 mm (1 5/8")	wet exhaust	D	521,-
40230209	Base plate kit M-SC 6P	only for polyester version	D	495,-
40230217	Anti-vibration mounts, up to 280 kg	only for polyester version	D	178,-
40201303	Box cooler kit	keel cooling, dry exhaust	D	1.866,-
40201320	Dry exhaust kit 1"	keel cooling, dry exhaust	H	990,-
40290061	12V / 80Ah AGM starter battery		K	193,-
40222204	WPL-10w40 General, Motoroil, 4 litre		V	39,-
40222214	WPL Coolant G12, Coolant, 4 litre		V	27,-

M-SC 8 DIESEL GENERATOR 3000 / 3600 RPM SUPER COMPACT SERIES				
40903005	M-SC 8P 230V / 50Hz MARINE	wet exhaust	B	9.574,-
41103005	M-SC 8 230V / 50Hz MARINE	wet exhaust	B	10.490,-
41103006	M-SC 8 230V / 50Hz MARINE	ungrounded, wet exhaust	B	11.590,-
41103055	M-SC 8 120-240V / 60Hz MARINE	USA version, wet exhaust	B	10.845,-
REMOTE CONTROL FOR WHISPER GENERATOR				
40209102	DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel			V 307,-
ACCESSORIES & OPTIONS				
40230211	Water inlet kit 20 mm (3/4")	wet exhaust	D	151,-
40230273	Syphon breaker kit 20 mm (3/4")	wet exhaust	D	141,-
40230251	DELTA Exhaust kit 40 mm (1 5/8")	wet exhaust	D	373,-
40230261	DELTA Water-gas separ. kit 40 mm (1 5/8")	wet exhaust	D	521,-
40230209	Base plate kit M-SC 8P	only for polyester version	D	495,-
40230217	Anti-vibration mounts, up to 280 kg	only for polyester version	D	178,-
40201303	Box cooler kit	keel cooling, dry exhaust	D	1.866,-
40201320	Dry exhaust kit 1"	keel cooling, dry exhaust	H	990,-
40290061	12V / 80Ah AGM starter battery		K	193,-
40222204	WPL-10w40 General, Motoroil, 4 litre		V	39,-
40222214	WPL Coolant G12, Coolant, 4 litre		V	27,-

M-SC 10 DIESEL GENERATOR 3000 / 3600 RPM SUPER COMPACT SERIES				
40904005	M-SC 10P 230V / 50Hz MARINE	wet exhaust	B	11.279,-
41104005	M-SC 10 230V / 50Hz MARINE	wet exhaust	B	12.250,-
41104006	M-SC 10 230V / 50Hz MARINE	ungrounded, wet exhaust	B	13.590,-
41104055	M-SC 11 120-240V / 60Hz MARINE	USA version, wet exhaust	B	12.839,-
REMOTE CONTROL FOR WHISPER GENERATOR				
40209102	DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel			V Including
ACCESSORIES & OPTIONS				
40230211	Water inlet kit 20 mm (3/4")	wet exhaust	D	151,-
40230273	Syphon breaker kit 20 mm (3/4")	wet exhaust	D	141,-
40230251	DELTA Exhaust kit 40 mm (1 5/8")	wet exhaust	D	373,-
40230261	DELTA Water-gas separ. kit 40 mm (1 5/8")	wet exhaust	D	521,-
40201303	Box cooler kit	keel cooling, dry exhaust	D	1.866,-
40201875	Dry exhaust kit 1 1/2"	keel cooling, dry exhaust	H	1.105,-
40290061	12V / 80Ah AGM starter battery		K	193,-
40222204	WPL-10w40 General, Motoroil, 4 litre		V	39,-
40222214	WPL Coolant G12, Coolant, 4 litre		V	27,-

M-SQ 6 DIESEL GENERATOR 1500 / 1800 RPM SUPER QUIET SERIES				
40905005	M-SQ 6P 230V / 50Hz MARINE - 5.7kW	wet exhaust	C	10.795,-
41105005	M-SQ 6 230V / 50Hz MARINE - 5.7kW	wet exhaust	C	11.279,-
42105005	M-SQ 6 230V / 50Hz MARINE without sound-shield	wet exhaust	C	10.267,-
41105006	M-SQ 6 230V / 50Hz MARINE - 5.7kW	ungrounded, wet exhaust	C	12.595,-
41105030	M-SQ 6 230V / 50Hz MARINE - 5.7kW	keel cooling, dry exhaust	C	11.760,-
41105055	M-SQ 7 120-240V / 60Hz MARINE - 7kW	USA version, wet exhaust	C	11.950,-
42105055	M-SQ 7 120V / 60Hz MARINE without sound-shield	wet exhaust	C	10.590,-
REMOTE CONTROL FOR WHISPER GENERATOR				
40209102	DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel			V 307,-
ACCESSORIES & OPTIONS				
40230211	Water inlet kit 20 mm (3/4")	wet exhaust	D	151,-
40230273	Syphon breaker kit 20 mm (3/4")	wet exhaust	D	141,-
40230251	DELTA Exhaust kit 40 mm (1 5/8")	wet exhaust	D	373,-
40230261	DELTA Water-gas separ. kit 40 mm (1 5/8")	wet exhaust	D	521,-
40201303	Box cooler kit	keel cooling, dry exhaust	D	1.866,-
40201875	Dry exhaust kit 1 1/2"	keel cooling, dry exhaust	H	1.105,-
40290061	12V / 80Ah AGM starter battery		K	193,-
40222204	WPL-10w40 General, Motoroil, 4 litre		V	39,-
40222214	WPL Coolant G12, Coolant, 4 litre		V	27,-

M-SQ 8 DIESEL GENERATOR 1500 / 1800 RPM SUPER QUIET SERIES				
41106005	M-SQ 8 230V / 50Hz MARINE	wet exhaust	C	12.664,-
42106005	M-SQ 8 230V / 50Hz MARINE without sound-shield	wet exhaust	C	11.757,-
41106006	M-SQ 8 230V / 50Hz MARINE - 8kW	ungrounded, wet exhaust	C	14.350,-
41106030	M-SQ 8 230V / 50Hz MARINE - 8kW	keel cooling, dry exhaust	C	12.975,-
41106055	M-SQ 9.5 120-240V / 60Hz MARINE - 9.5kW	USA version, wet exhaust	C	13.620,-
42106055	M-SQ 9.5 120V / 50Hz MARINE without sound-shield	wet exhaust	C	12.200,-
REMOTE CONTROL FOR WHISPER GENERATOR				
40209102	DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel			V 307,-
ACCESSORIES & OPTIONS				
40230211	Water inlet kit 20 mm (3/4")	wet exhaust	D	151,-
40230273	Syphon breaker kit 20 mm (3/4")	wet exhaust	D	141,-
40230252	DELTA Exhaust kit 51 mm (2")	wet exhaust	D	445,-
40230262	DELTA Water-gas separator kit 51 mm (2")	wet exhaust	D	595,-
40201875	Box cooler kit	keel cooling, dry exhaust	D	2.985,-
40201875	Dry exhaust kit 1 1/2"	keel cooling, dry exhaust	H	1.105,-
40290061	12V / 80Ah AGM starter battery		K	193,-
40222204	WPL-10w40 General, Motoroil, 4 litre		V	39,-
40222214	WPL Coolant G12, Coolant, 4 litre		V	27,-



M-SC 10 service side



M-SQ6 - 5.7kW



M-SQ8





M-SQ10



M-SQ12



M-SQ16



M-SQ25
AVR-controlled



M-SQ 10 DIESEL GENERATOR 1500 / 1800 RPM SUPER QUIET SERIES				
41109005	M-SQ 10 230V / 50Hz MARINE	wet exhaust	C	13.591,-
42109005	M-SQ 10 230V / 50Hz MARINE without sound-shield	wet exhaust	C	12.675,-
41109006	M-SQ 10 230V / 50Hz MARINE - 10kW	ungrounded, wet exhaust	C	14.880,-
41109030	M-SQ 10 230V / 50Hz MARINE - 10kW	keel cooling, dry exhaust	C	13.900,-
41109055	M-SQ 11 120-240V / 60Hz MARINE - 11kW	USA version, wet exhaust	C	14.600,-
42109055	M-SQ 11 120V / 50Hz MARINE without sound-shield	wet exhaust	C	13.150,-
REMOTE CONTROL FOR WHISPER GENERATOR				
40209102	DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel			V 307,-
ACCESSORIES & OPTIONS				
40230211	Water inlet kit 20 mm (3/4")	wet exhaust	D	151,-
40230273	Syphon breaker kit 20 mm (3/4")	wet exhaust	D	141,-
40230252	DELTA Exhaust kit 51 mm (2")	wet exhaust	D	445,-
40230262	DELTA Water-gas separator kit 51 mm (2")	wet exhaust	D	595,-
40201873	Box cooler kit	keel cooling, dry exhaust	D	2.985,-
40201875	Dry exhaust kit 1 1/2"	keel cooling, dry exhaust	H	1.105,-
40290031	12V / 100Ah deep cycle AGM battery	328 x 172 x 222 mm / 30 kg	K	232,-
40222204	WPL-10w40 General, Motoroil, 4 litre		V	39,-
40222214	WPL Coolant G12, Coolant, 4 litre		V	27,-

M-SQ 12 DIESEL GENERATOR 1500 / 1800 RPM SUPER QUIET SERIES				
41107005	M-SQ 12 230V / 50Hz MARINE		C	14.690,-
42107005	M-SQ 12 230V / 50Hz MARINE without sound-shield		C	13.456,-
41107006	M-SQ 12 230V / 50Hz MARINE - 12kW	ungrounded, wet exhaust	C	15.980,-
41107030	M-SQ 12 230V / 50Hz MARINE - 12kW	keel cooling, dry exhaust	C	15.175,-
41107305	M-SQ 12 230-400V / 50Hz MARINE - 12kW	wet exhaust, 3-phase	C	14.930,-
41107055	M-SQ 15 120-240V / 60Hz MARINE - 15kW	wet exhaust, dual voltage	C	15.835,-
41107355	M-SQ 15 120-208V / 60Hz MARINE - 15kW	wet exhaust, 3-phase	C	16.200,-
42107055	M-SQ 15 120V / 60Hz MARINE without sound-shield		C	13.950,-
REMOTE CONTROL FOR WHISPER GENERATOR				
40209102	DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel			V 307,-
ACCESSORIES & OPTIONS				
40230211	Water inlet kit 20 mm (3/4")	wet exhaust	D	151,-
40230273	Syphon breaker kit 20 mm (3/4")	wet exhaust	D	141,-
40230252	DELTA Exhaust kit 51 mm (2")	wet exhaust	D	445,-
40230262	DELTA Water-gas separator kit 51 mm (2")	wet exhaust	D	595,-
40201873	Box cooler kit	keel cooling, dry exhaust	D	2.985,-
40201875	Dry exhaust kit 1 1/2"	keel cooling, dry exhaust	H	1.105,-
40290031	12V / 100Ah deep cycle AGM battery	328 x 172 x 222 mm / 30 kg	K	232,-
40222204	WPL-10w40 General, Motoroil, 4 litre		V	39,-
40222214	WPL Coolant G12, Coolant, 4 litre		V	27,-

M-SQ 16 DIESEL GENERATOR 1500 / 1800 RPM SUPER QUIET SERIES				
41108005	M-SQ 16 230V / 50Hz MARINE		C	17.590,-
42108005	M-SQ 16 230V / 50Hz MARINE without sound-shield		C	15.390,-
41108006	M-SQ 16 230V / 50Hz MARINE - 16kW	ungrounded, wet exhaust	C	18.950,-
41108030	M-SQ 16 230V / 50Hz MARINE - 16kW	keel cooling, dry exhaust	C	18.300,-
41108305	M-SQ 16 230-400V / 50Hz MARINE - 16kW	wet exhaust, 3-phase	C	18.025,-
41108055	M-SQ 20 120-240V / 60Hz MARINE - 20kW	wet exhaust, Dual Voltage	C	17.950,-
41108355	M-SQ 20 120-240V / 60Hz MARINE - 20kW	wet exhaust, 3-phase	C	18.600,-
42108055	M-SQ 20 120V / 60Hz MARINE without sound-shield		C	15.413,-
REMOTE CONTROL FOR WHISPER GENERATOR				
40209102	DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel			V 307,-
ACCESSORIES & OPTIONS				
40230221	Water inlet kit 25 mm (1")	wet exhaust	D	249,-
40230274	Syphon breaker kit 25 mm (1")	wet exhaust	D	204,-
40230252	DELTA Exhaust kit 51 mm (2")	wet exhaust	D	445,-
40230262	DELTA Water-gas separator kit 51 mm (2")	wet exhaust	D	595,-
40201874	Box cooler kit	keel cooling, dry exhaust	D	3.350,-
40201875	Dry exhaust kit 1 1/2"	keel cooling, dry exhaust	H	1.105,-
40290062	12V / 145Ah deep cycle AGM battery	340 x 173 x 285 mm / 44 kg	K	342,-
40222204	WPL-10w40 General, Motoroil, 4 litre		V	39,-
40222214	WPL Coolant G12, Coolant, 4 litre		V	27,-

M-SQ 20 DIESEL GENERATOR 1500 RPM SUPER QUIET SERIES				
41101205	M-SQ 20 230V / 50Hz MARINE		C	21.625,-
42101205	M-SQ 20 230V / 50Hz MARINE without sound-shield		C	18.900,-
41101206	M-SQ 20 230V / 50Hz MARINE	ungrounded, wet exhaust	C	22.950,-
41101230	M-SQ 20 230V / 50Hz MARINE	keel cooling, dry exhaust	C	21.177,-
42101255	M-SQ 20 120V / 60Hz MARINE without sound-shield		C	19.990,-
REMOTE CONTROL FOR WHISPER GENERATOR				
40209102	DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel			V 307,-
ACCESSORIES & OPTIONS				
40230221	Water inlet kit 25 mm (1")	wet exhaust	D	249,-
40230274	Syphon breaker kit 25 mm (1")	wet exhaust	D	204,-
40230254	DELTA Exhaust kit 63 mm (2 1/2")	wet exhaust	D	1.006,-
40230264	DELTA Water-gas separ. kit 63 mm (2 1/2")	wet exhaust	D	1.076,-
40201894	Box cooler kit	keel cooling, dry exhaust	D	2.156,-
40201889	Dry exhaust kit 2"	keel cooling, dry exhaust	H	1.446,-
40290062	12V / 145Ah deep cycle AGM battery	340 x 173 x 285 mm / 44 kg	K	342,-
40222204	WPL-10w40 General, Motoroil, 4 litre		V	39,-
40222214	WPL Coolant G12, Coolant, 4 litre		V	27,-


M-SQ 27 DIESEL GENERATOR 1500 / 1800 RPM SUPER QUIET SERIES				
41201305	M-SQ 27 230-400V / 50Hz MARINE - 25kW* • NEW!	wet exhaust, 3-phase	C	22.995,-
41201306	M-SQ 27 230-400V / 50Hz MARINE - 25kW* • NEW!	ungrounded, wet exhaust	C	24.800,-
41201330	M-SQ 27 230-400V / 50Hz MARINE - 25kW* • NEW!	keel cooling, dry exhaust	C	20.664,-
41201355	M-SQ 32 120-240V / 60Hz MARINE - 30kW • NEW!	wet exhaust, 3-phase	C	22.995,-
REMOTE CONTROL FOR WHISPER GENERATOR				
40209102	DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel			V 307,-
ACCESSORIES & OPTIONS				
40230221	Water inlet kit 25 mm (1")	wet exhaust	D	249,-
40230274	Syphon breaker kit 25 mm (1")	wet exhaust	D	204,-
40230254	DELTA Exhaust kit 63 mm (2 1/2")	wet exhaust	D	1.006,-
40230264	DELTA Water-gas separ. kit 63 mm (2 1/2")	wet exhaust	D	1.076,-
40201894	Box cooler kit	keel cooling, dry exhaust	D	2.156,-
40201889	Dry exhaust kit 2"	keel cooling, dry exhaust	H	1.446,-
40290062	12V / 145Ah deep cycle AGM battery	340 x 173 x 285 mm / 44 kg	K	342,-
40222204	WPL-10w40 General, Motoroil, 4 litre		V	39,-
40222214	WPL Coolant G12, Coolant, 4 litre		V	27,-

M-SQ GENERATOR PTO				
50201399	PTO kit SAE A, 9-tooth	M-SQ 8 / 10 / 12 / 16	U	630,-
50201398	PTO kit SAE A, 13-tooth	M-SQ 8 / 10 / 12 / 16	U	875,-
50201598	PTO kit SAE A, 13-tooth	M-SQ 20	U	1.476,-

HYDRAULIC POWER PACK				
41607005	WP HydroPack 11kW - (implementation as SQ 12)		C	at request
40209102	DDC Control Panel - included	for start/stop and 'Boost' control	V	307,-

* 20kW at single phase





Complete installation
with Delta Waterlock
and Delta separator



		I	(Euro excl. VAT)
MARINE INSTALLATION KITS			
40230201	Water inlet kit 12.5 mm (1/2")	D	142,-
40230211	Water inlet kit 20 mm (3/4")	D	156,-
40230221	Water inlet kit 25 mm (1")	D	256,-
40230272	Syphon breaker kit 12.5 mm (1/2")	D	147,-
40230273	Syphon breaker kit 20 mm (3/4")	D	149,-
40230274	Syphon breaker kit 25 mm (1")	D	210,-
40230251	DELTA Exhaust kit 40 mm (1 5/8")	D	384,-
40230252	DELTA Exhaust kit 51 mm (2")	D	458,-
40230254	DELTA Exhaust kit 63 mm (2 1/2")	D	1.036,-
40230093	DELTA Silencer/waterlock 40 mm	D	254,-
40230094	DELTA Silencer/waterlock 51 mm	D	259,-
40230190	DELTA Silencer/waterlock L 51	D	678,-
40230191	DELTA Silencer/waterlock L 63	D	701,-
40230192	DELTA Silencer/waterlock L 76	D	723,-
40230261	DELTA Water-gas separator kit (1 5/8")	D	537,-
40230262	DELTA Water-gas separator kit (2")	D	613,-
40230264	DELTA Water-gas separator kit (2 1/2")	D	1.108,-
40230097	DELTA Water-gas separator 40 mm	D	319,-
40230098	DELTA Water-gas separator 51 mm	D	328,-
40230193	DELTA Water-gas separator L 51	D	818,-
40230194	DELTA Water-gas separator L 63	D	864,-
40230195	DELTA Water-gas separator L 76	D	889,-
40201320	Dry exhaust kit 1" for the M-SC 3.5 / 6 / 10 / 11 and de M-SQ 6 / 7 - keel cooling	H	1.020,-
40201875	Dry exhaust kit 1 1/2" for the M-SQ 8 / 9.5 / 10 / 11 / 12 / 15 / 16 / 20 - keel cooling	H	1.138,-
40201889	Dry exhaust kit 2" for the M-SQ 27 / 30 - keel cooling	H	1.489,-
40201303	Box cooler kit for M-SC 6 and the M-SQ 6 / 7	D	1.922,-
40201873	Box cooler kit for M-SQ 8 / 9.5 / 10 / 11 / 12 / 15	D	3.075,-
40201874	Box cooler kit for M-SQ 16 / 20 - 60Hz	D	3.451,-
40201894	Box cooler kit for M-SQ 27 / 30 and M-SQ 20 - 50Hz	D	2.221,-
40230205	Universal fuel kit	U	124,-
40230207	Base plate kit M-SC 3.5 (includes art. no. 40230217)	D	407,-
40230209	Base plate kit M-SC 6P / 8P (includes art. no. 40230217) only polyester version	D	510,-
40230217	Anti-vibration mounts, up to 280 kg	D	183,-
50220057	Rubber flexible coolant hose (1/2")	13 x 21 mm (drum 20 m)	V P/M* 7,-
50220011	Rubber flexible coolant hose (3/4")	18 x 26 mm (drum 20 m)	V P/M* 24,-
50220012	Rubber flexible coolant hose (1")	25 x 34 mm (drum 20 m)	V P/M* 26,-
50220013	Rubber flexible coolant hose (1 1/4")	32 x 41 mm (drum 20 m)	V P/M* 30,-
50220055	Transparant coolant hose with metal spiral	13 x 19 mm (drum 20 m)	V P/M* 5,-
50220056	Transparant coolant hose with metal spiral	19 x 26 mm (drum 20 m)	V P/M* 7,-
50220050	Transparant coolant hose with metal spiral	25 x 33 mm (drum 20 m)	V P/M* 8,-
50220063	Marine fuel hose for diesel	8 x 16 mm (drum 20 m)	V P/M* 9,-
50220033	Exhaust hose (1 5/8")	40 mm Ø (inner diameter)	V 37,-
50220035	Exhaust hose (2")	51 mm Ø (inner diameter)	V 43,-
50220036	Exhaust hose (2 1/2")	63 mm Ø (inner diameter)	V 60,-
50213070	Battery cable Red	16 mm ² (drum 50 m)	V P/M* 9,-
50213071	Battery cable Black	16 mm ² (drum 50 m)	V P/M* 9,-
50213075	Battery cable Red	25 mm ² (drum 25 m)	V P/M* 12,-
50213076	Battery cable Black	25 mm ² (drum 25 m)	V P/M* 12,-
50213085	Battery cable Red	35 mm ² (drum 25 m)	V P/M* 17,-
50213086	Battery cable Black	35 mm ² (drum 25 m)	V P/M* 17,-

*Price/Meter

		I	(Euro excl. VAT)
SERVICE KITS FOR MARINE USE			
40401160	A-kit W-GV4 / 7i mobile	U	35,-
40401161	B-kit W-GV4 / 7i mobile	U	352,-
40401170	A-kit M-GV4 / 7i marine	U	58,-
40401171	B-kit M-GV4 / 7i marine	U	396,-
40201260	A-kit SC-3.5 - 3000 rpm	U	43,-
40201261	B-kit SC-3.5 - 3000 rpm	U	743,-
40201860	A-kit M-SC 6 / M-SC 10 / M-SQ 6	U	95,-
40201861	B-kit M-SC 6 - 3000 rpm	U	892,-
40201761	B-kit M-SC 10 / M-SQ 6	U	1.126,-
40201460	A-kit M-SQ 8, M-SQ 10 and M-SQ 12 - 1500 / 1800 rpm	U	74,-
40201653	B-kit M-SQ 8 and M-SQ 10 - 1500 / 1800 rpm	U	1.112,-
40201461	B-kit M-SQ 12 - 1500 / 1800 rpm	U	1.243,-
40201360	A-kit M-SQ 16 - 1500 / 1800 rpm	U	135,-
40201361	B-kit M-SQ 16 - 1500 / 1800 rpm	U	1.381,-
40201560	A-kit M-SQ 20 and M-SQ 27 - 1500 / 1800 rpm	U	198,-
40201561	B-kit M-SQ 20 and M-SQ 27 - 1500 / 1800 rpm	U	1.483,-

WPL WHISPER POWER LUBRICANTS & LIQUIDS

40222214	WPL Coolant G12, Coolant, 4 litre	V	27,-
40222201	WPL-10w40 General, Motoroil, 1 litre	V	15,-
40222204	WPL-10w40 General, Motoroil, 4 litre	V	39,-
40222224	WPL 10w40 Premium Long Drain, Motoroil, 4 litre	V	49,-

CALORIFIER KIT - HOT WATER FROM THE GENERATOR

40245030	Calorifier kit for the M-SC 6 / 8 / 10 and M-SQ 6	D	147,-
40245031	Calorifier kit for the M-SC 8 / 10 / 12	D	46,-

FUEL FILTERS

40209030	General Fuel Filter	V	19,-*
40206122	Fuel Filter SQ16, SQ25 / SQ27	V	37,-*
40230092	Filter for strainer fuel/water separator	V	42,-*

OIL FILTERS

40401395	Oil Filter WP1-Cyl	V	12,-*
40203121	Oil Filter M	V	27,-*
40206121	Oil Filter SQ16	V	40,-*
40208121	Oil Filter SQ25 / SQ27	V	42,-*

V-BELTS

50203120	V-belt SC6/8/10, SQ6	V	19,-*
50205120	V-belt SQ8/10/12	V	28,-*
50206120	V-belt SQ16	V	39,-*
50208119	V-belt SQ25 / SQ27	V	49,-*

AIR FILTERS

40401329	Air filter WP1-Cyl	V	12,-*
50230007	Air filter SQ-series	V	33,-*
50230003	Air filter Mobile	V	176,-*

COOLANT PUMPS

40201240	Coolant pump SC3.5 / GV 4 / GV7i	V	293,-
50201850	Coolant pump SC6/8/10, SQ6	V	424,-
50201450	Coolant pump SQ8/10/12	V	512,-
50201370	Coolant pump SQ16	V	485,-
50208186	Coolant pump SQ25 / SQ27	V	356,-
40209011	Impellorkit	V	22,-

FUEL LIFT PUMP

40230410	Fuel lift pump kit universal	V	119,-
----------	------------------------------	---	-------



(Euro excl. VAT)

DIGITAL DIESEL CONTROL

40209102	DDC panel: Digital Diesel Control	V	307,-
40401150	DDC Black Box GV-series	V	316,-
40209140	DDC Unit SC3.5	V	647,-
50209200	DDC Black Box Standard	V	422,-
50209199	DDC Black Box 3-phase	V	484,-
40401061	Local Control Panel GV-series	V	278,-
40209161	Local Control Panel Standard	V	209,-
50209135	DDC Data Bus Cable 5M	V	23,-
50209136	DDC Data Bus Cable 10M	V	31,-
50209133	DDC Data Bus Cable 15M	V	40,-
50209129	DDC Data Bus Cable 20M	V	46,-
40209308	Speedcontrol Electronic Controller	V	358,-
50209326	Actuator SC 6 / 8 / 10, SQ6	V	391,-
50201627	Actuator SQ 8 / 10 / 12	V	355,-

OIL PRESSURE SWITCHES

50209212	Oil pressure switch 0,5Bar - Single pole	V	20,-
50209205	Oil pressure switch 0,5Bar - Double pole	V	24,-

TEMPERATURE SWITCHES

50209203	Temperature switch 107°C M14X1.5	V	20,-
50209208	Temperature switch 110°C M16X1.5	V	30,-
50209210	Temperature switch Exhaust 90°C M16X1.5	V	22,-
40209230	Temperature switch Exhaust KIT - All kits	V	43,-
50209238	Temperature switch Exhaust 75°C MIO x 1 Stainless steel exhaust bent	V	19,-

ALTERNATORS

50203181	Dynamo 12V M2/3	V	879,-
50203182	Dynamo 12V M2/3 Ungrounded	V	1.163,-
50205181	Dynamo 12V SQ8/10/12	V	902,-
50205182	Dynamo 12V SQ8/10/12 Ungrounded	V	1.186,-
50208181	Dynamo 12V SQ16/25/27	V	1.195,-
50207182	Dynamo 12V SQ16/25/27 Ungrounded	V	1.478,-

CAPACITOR KITS

50212630	Capacitor kit 2uF	V	15,-
50212613	Capacitor kit 4uF	V	18,-
50212628	Capacitor kit 20uF	V	31,-
50212629	Capacitor kit 25uF	V	35,-
50212620	Capacitor kit 30uF	V	37,-
50212618	Capacitor kit 31,5uF	V	39,-
50212617	Capacitor kit 35uF	V	40,-
50212616	Capacitor kit 40uF	V	43,-
50212615	Capacitor kit 45uF	V	46,-

CANOPY LATCHES

50209050	Plastic hook	V	4,-
50209051	Elastic Silicone Transparent	V	3,-
40209068	Latch Draw	V	18,-
50209094	Latch Shift Chrome	V	20,-
50209095	Latch Panel Chrome	V	25,-




(Euro excl. VAT)

WHISPERSOLAR

60110402	WhisperSolar 25WP - SemiFlex / 12V including charge regulator • NEW!	N	399,-
60110403	WhisperSolar 50WP - SemiFlex / 12V including charge regulator • NEW!	N	499,-
60110400	WhisperSolar 90WP - Rigid	N	169,-
60110401	WhisperSolar 130WP - Rigid	N	236,-
60110405	WhisperSolar 240WP - Rigid	N	331,-
60110406	WhisperSolar 250WP - Rigid	N	361,-

SOLAR CHARGE REGULATOR


60110410	WP-SCC solar charge control 12-24V 15A • NEW!	N	49,-
60110420	WP-Suntrack 12-48V / 65A	N	795,-
60110421	WP-Suntrack 12-48V / 80A	N	995,-
60201080	WPC-RCC Remote panel (Optional for WP-Suntrack)	R	380,-
60201082	WPC-BSI 500 Measurement interface including 500A shunt (Optional for WP-Suntrack)	R	314,-



WhisperSolar 12V / 85 Watt WhisperSolar 12V / 130 Watt

DC BELT POWER - OUTPUT ALTERNATORS - 12 AND 24V

60212091	WP-DC Beltpower 12V / 90A Alternator, incl. ACR charge regulator and connectioncable, Temp. Sensor, WP Connect	I	773,-
60212131	WP-DC Beltpower 12V / 130A Alternator, incl. ACR charge regulator and connectioncable, Temp. Sensor, WP Connect	I	1.025,-
60212161	WP-DC Beltpower 12V / 160A Alternator, incl. ACR charge regulator and connectioncable, Temp. Sensor, WP Connect	I	1.107,-
60224076	WP-DC Beltpower 24V / 75A Alternator, incl. ACR charge regulator and connectioncable, Temp. Sensor, WP Connect	I	922,-
60224111	WP-DC Beltpower 24V / 110A Alternator, incl. ACR charge regulator and connectioncable, Temp. Sensor, WP Connect	I	1.262,-
60224151	WP-DC Beltpower 24V / 150A Alternator, incl. ACR charge regulator and connectioncable, Temp. Sensor, WP Connect	I	1.540,-



DC Beltpower 12V / 90 A

DC BELTPOWER IS AVAILABLE WITH THE FOLLOWING PULLEYS:

60212001	Pulley Double V 5/8" 73,6mm for 12V / 90A Beltpower	I	77,-
60212006	Pulley Flat belt 7/8" 89mm for 12V / 130A; 12V/160A; 24V/75A; 24V/110A; 24V/150A Alternator	I	77,-
60212002	Pulley Flat belt 5/8" 73,6mm for 12V / 90A Alternator (option)	I	77,-
60212005	Pulley Double V 7/8" 89mm for 12V / 130A; 12V/160A; 24V/75A; 24V/110A; 24V/150A Alternator (optional)	I	77,-

ACR CHARGE REGULATOR, BOSCH

60115100	WP-ACR 12V Alternator Charge Regulator, incl. temp. Sensor and WP Connect	I	256,-
60115200	WP-ACR 24V Alternator Charge Regulator, incl. temp. Sensor and WP Connect	I	256,-



ACR 3-stage regulator

AC BELTPOWER - 230V GENERATOR SYSTEM - BELT DRIVE *)

41301000	WP-AC BELTPOWER 3.5 3.5kW (at maximum speed), 32A starting current	I	2.469,-
41302000	WP-AC BELTPOWER 5.0 5.0kW (at maximum speed), 40A starting current	I	2.673,-

REMOTE CONTROL PANEL

41301030	Remote control panel	I	161,-
----------	----------------------	---	-------

ACCESSORIES

41301020	Shielded power supply cable	5 m	I	128,-
41301021	Shielded power supply cable	8 m	I	205,-
41301022	Shielded power supply cable	10 m	I	256,-
41301025	Cable remote control panel	5 m	I	21,-
41301026	Cable remote control panel	10 m	I	31,-


STANDARD PULLEYS AND PULLEYS TO CLIENT SPECIFICATION

41301050	Pulley poly 6 groove	Ø 60 mm (recommended)	I	42,-
41301051	Pulley poly 6 groove	Ø 50 mm	I	32,-
41301052	Pulley poly V groove 12.7 mm	Ø 70 mm	I	31,-
41301053	Pulley poly 6 groove	Ø 200 mm	I	At request



See also our new SparePartsCatalogue





WBL - easy to install



WHISPERPOWER COMPACT BATTERY SWITCHES, 300A, 600A 12, 24V			
50214701	WP-Compact Manual Battery Switch 300A, single circuit ON-OFF	P	27,-
50214702	WP-Compact Manual Battery Switch 300A, dual circuit	P	43,-
50214703	WP-Compact Manual Battery Switch 300A, dual circuit & selector switch battery switch	P	43,-
50214705	WP-Compact spare knob	P	5,-
50214706	WP-Compact identification label	P	6,-
50214707	WP-Compact Paralleling DC busbar, 300A	P	6,-

WHISPERPOWER HEAVY DUTY BATTERY SWITCHES, 300A, 600A 12, 24V			
50214711	WP-HD Manual Battery switch 600A, single circuit ON-OFF	P	78,-
50214712	WP-HD Manual Battery switch 600A, dual circuit	P	81,-
50214715	WP-HD spare Knob	P	12,-
50214716	WP-HD identification label	P	9,-
50214717	WP-HD Paralleling DC busbar, 300A	P	14,-

WHISPERPOWER REMOTE BATTERY SWITCH, BISTABEL (NO DC CURRENT DRAIN)			
50214731	WP-Magnetic Latch Battery Switch, 500A / 12V, incl. remote switch	P	205,-
50214732	WP-Magnetic Latch Battery Switch, 500A / 24V, incl. remote switch	P	205,-

WBI-SERIE WHISPER POWER BATTERY ISOLATOR - WITHOUT VOLTAGE DROP			
60115002	WBI 150-2IG 1 DC input, 2 DC outputs, 500A	P	153,-
60115003	WBI 150-3IG 1 DC input, 3 DC outputs, 500A	P	192,-

WBL - BATTERY CHARGE CONNECTION			
60110120	WBL-120 Battery Link, 9 -35V, 120A cont., 180A maximal	P	84,-
60110160	WBL 160 Whisper Power Battery Link Autodetect 12/24VDC 160A Max. 480A (250msec.)	P	105,-

WBL-VG AUTOMATIC DC SWITCH OFF RELAY			
60110200	WVG Whisper Voltage Guard - for 12V or 24V, 200A	P	133,-

MC SERIE - CONVERTERS 'NON ISOLATED' (COMMON GROUND)			
60110010	MC 24/12-08	24V à 12V, 8A	P 74,-
60110016	MC 24/12-12	24V à 12V, 12A	P 77,-
60110011	MC 24/12-20	24V à 12V, 20A	P 98,-
60110012	MC 24/12-30	24V à 12V, 30A	P 110,-
60110017	MC 12/24-10	12V à 24V, 10A	P 92,-
60201023	WP-MCC 24/12 5A Multi Charger Converter • NEW!		P 78,-
60110014	WP-MCC 12/12-20 3 step multi Charger Converter (booster) • NEW!		P 135,-
60110015	WP-MCC 24/12-20 3 step multi Charger Converter • NEW!		P 295,-

MG SERIE - CONVERTERS 'ISOLATED' (GALVANIC ISOLATED)			
60110020	MG 24/12-16-i	24V à 12V - 16A	P 129,-
60110021	MG 24/12-30-i	24V à 12V - 30A	P 220,-
60110023	MG 48/12-30-i	48V à 12V - 30A	P 220,-
60110024	MG 48/12-08-i	48V à 12V - 8A	P 122,-
60110025	MG 24/24-15-i	24V à 24V - 15A	P 246,-

WP-LOGIC - DIGITAL SWITCHING - AND DISTRIBUTION SYSTEMS			
60116001	WP-Logic Panel module i/o - set-up a/m	N	1.195,-
60116002	WP-Logic Power module DC distribution, 8 groups a/m	N	1.195,-
60116003	WP-Logic Power module AC distribution 8 groups bipolar, 16 Unipolar	N	1.850,-
60116004	WP-Logic Software for Touch screen	N	990,-
60116007	WP-Logic Touch screen -7 Inch	N	1.495,-
60116006	USB / CAN Converter configuration tools including	N	390,-
60116021	WP-Logic Fuse 2-pole	5A	N 49,-
60116022	WP-Logic Fuse 2-pole	10A	N 49,-
60116023	WP-Logic Fuse 2-pole	16A	N 49,-
67030510	USB / CAN Converter	USB 400 remote generator	N 225,-
60116010	Avisario W 23133 LAN box 2.0 [SD] with CAN interface	[Iphone]	N 739,-
60116011	CAN Cable 1x2x0.50HOC	CAN.BUS	N 2,-/p. mtr.

WHISPERPOWER SHORE CONNECT 230V 50HZ				
50214751	Shore power cable, with molded plug 15m, 16A	Storage bag included	P	119,-
50214752	Shore power cable, with molded plug 25m, 16A	Storage bag included	P	179,-
50214741	Shore power cable, with molded plug 15m, 25A	Storage bag included	P	169,-
50214742	Shore power cable, with molded plug 25m, 25A	Storage bag included	P	229,-
50214680	WP-Shore Inlet 16A, polyamide plastic, with cover		P	59,-
50214684	WP-Shore Inlet 16A, Stainless steel, with cover		P	85,-
50214685	WP-Shore Inlet 32A, Stainless steel with cover		P	109,-
50214688	WP-Shore inlet plug 16A / 250V, 2pole-3wire for inlet 16A		P	59,-
50214689	WP-Shore inlet plug 32A / 250V, 2pole-3wire for inlet 32A		P	95,-
50214720	Adaptor Cord 16A / 250V schuko to CEE		P	21,-

WHISPERPOWER EARTH LEAKAGE PROTECTION 1 - PHASE				
50214660	WP- Shore Connect RCD 16, Shore power circuit breaker	16A / 230V-1ph-3 wire	P	205,-
50214661	WP- Shore Connect RCD 25, Shore power circuit breaker	25A / 230V-1ph-3 wire	P	239,-
50214662	WP- Shore Connect RCD 35, Shore power circuit breaker	35A / 230V-1ph-3 wire	P	259,-
50214663	WP- Shore Connect Admiral 16, Earth leak protection + 5 circuit breakers	16A / 230V-1ph-3 wire	P	595,-

WHISPERPOWER EARTH LEAKAGE PROTECTION 3 - PHASE				
50214665	WP- Shore Connect RCD 25-3, Shore power circuit breaker	25A / 230V-3ph-5 wire	P	249,-
50214666	WP- Shore Connect RCD 35-3, Shore power circuit breaker	32A / 230V-3ph-5 wire	P	279,-
50214667	WP- Shore Connect RCD 63-3, Shore power circuit breaker	62A / 230V-3ph-5 wire	P	295,-

POWER DISTRIBUTION GENERATOR/SHORE OR INVERTER/SHORE				
50214670	Whisper Switch AC 5, 6kW / 230V 1-phase	2x in, 1x out	P	209,-
50214671	Whisper Switch AC 10, 10kW / 230V 1-phase	2x in, 1x out	P	419,-
50214672	Whisper Switch AC 5, 6kW / 120V 1-phase	2x in, 1x out	P	329,-
50214673	Whisper Switch AC 10, 10kW / 120V 1-phase	2x in, 1x out	P	459,-

POWER DISTRIBUTION GENERATOR/SHORE/INVERTER INPUTS				
50214690	WP- AC Transfer System Switch 5, 5kW / 230V 1-phase	3x in, 3x out	P	819,-
50214691	WP- AC Transfer System Switch 10, 10kW / 230V 1-phase	3x in, 3x out	P	975,-
50214692	WP- AC Transfer System Switch AC 16, 16kW / 230V-1phase	3x in, 3x out	P	1.095,-

WP-GI GALVANIC ISOLATORS				
60110140	WP-GI Galvanic Isolator 16 A		N	83,-
60110150	WP-GI Galvanic Isolator 30 A		N	159,-

COMPACTE AND ROBUSTE TRANSFORMER TECHNOLOGY INCL. SOFTSTART				
60110100	WP-GI 3600, Galvanic Isolation Transformator 3600VA, 16A	in 120-230V, out 120-230V		975,-
60110300	WP-GI 7000, Galvanic Isolation Transformator 7000VA, 35A	in 120-230V, out 120-230V		1.950,-
60110105	WP-GI RCD 16 Optionel Installation kit, 16A circuit breaker 16A / 230V-1ph-3wire, 30mA			At request
60110305	WP-GI RCD 25 Optionel Installation kit, 25A circuit breaker 25A / 230V-1ph-3wire, 30mA			At request

48VDC ELECTRICAL PROPULSION SYSTEMS				
41501000	WhisperDrive 9 9kW / 48V	39 kg, Liquid cooled	J	At request
41501001	WhisperDrive 10 10kW in-board / 48V	Liquid cooled	J	At request

Ask for our comprehensive propulsion catalogue

W-GV 4 BASIC GENVERTER VARIABLE SPEED GENERATOR • AC SYSTEMS				
41002000	W-GV 4 Basic 230V / 3.8kVA - PM Technology	Speed range 2500 -3400 rpm	E	5.925,-
41002020	W-GV 4 Basic 230V / 3.8kVA - PM Technology*	Speed range 2500 -3400 rpm	E	5.750,-
ACCESSORIES & OPTIONS				
40201315	Radiator kit (External radiator for 41002020)		H	669,-
40201325	Dry exhaust kit (1")		H	670,-
40230205	Fuel Kit		U	124,-
40290060	12V / 55Ah AGM starter battery		K	147,-
40222204	WPL-10w40 General, Motoroil, 4 litre		V	39,-

* Genverter without radiator: External radiator needed

W-GV 4 BASIC GENVERTER PROGRAMMABLE SPEED GENERATOR • AC SYSTEMS				
41005020	W-GV 8 Basic 2 Cyl. 230V / 8kVA / 50HZ - PM Technology		E	9.870,-
41005025	W-GV 8 Basic 2 Cyl. 120V / 8kVA / 60HZ - PM Technology		E	9.870,-
41009020	W-GV 10 Basic 3 Cyl. 230V / 10kVA / 50HZ - PM Technology		E	10.450,-
41009025	W-GV 10 Basic 3 Cyl. 120V / 10kVA / 60HZ - PM Technology		E	10.450,-
41007020	W-GV 12 Basic 3 Cyl. 230V / 12kVA / 50HZ - PM Technology		E	At request
41007025	W-GV 12 Basic 3 Cyl. 120V / 12kVA / 60HZ - PM Technology		E	At request
ACCESSORIES & OPTIONS				
40230670	TopCoolRadiator		H	At request
40201879	Kit radiator cooling motor		H	1.049,-
40201325	Dry exhaust kit (1")		H	670,-
40230205	Fuel Kit		U	124,-
40290061	12V / 80Ah AGM starter battery		K	193,-
40222204	WPL-10w40 General, Motoroil, 4 litre		V	39,-
40222214	WPL Coolant G12, Coolant, 4 litre		V	27,-

W-GV 7i GENVERTER HYBRID GENERATOR VARIABLE SPEED • AC/DC SYSTEMS				
41004200	W-GV 7i 230V / 3.8kVA + 2.0kVA 12V Power Centre - PM Technology		E	8.650,-
41004400	W-GV 7i 230V / 3.8kVA + 3.5kVA 24V Power Centre - PM Technology		E	9.225,-
41004800	W-GV 7i 230V / 3.8kVA + 3.5kVA 48V Power Centre - PM Technology		E	10.275,-
60201050	WPC-PSCP Power System Control Panel, standard for the W-GV 7i		V	Including
60201082	WPC-BSI 500 Battery Status Interface		V	314,-
60201084	WPC-RS232 Data Logger Module		V	238,-
60201086	WPC-BTS Battery Temperature Sensor		V	94,-
REMOTE CONTROL FOR GENVERTER				
40209102	Additional 2 nd panel: DDC panel/slave version for second start/stop location		V	307,-
ACCESSORIES & OPTIONS				
40201325	Dry exhaust kit (1")		H	670,-
40230205	Fuel Kit		U	124,-
40290060	12V / 55Ah AGM starter battery		K	153,-
40222204	WPL-10w40 General, Motoroil, 4 litre		V	39,-

PROGRAMMABLE SPEED GENVERTER • DC SYSTEMS				
41001000	W-GV/1 • NEW!		E	5.775,-
41001120	W-GV/2 Kubota *)		E	9.583,-
41001220	W-GV/2 Mitsubishi *)		E	9.583,-
41001320	W-GV/3 Kubota *)		E	10.990,-
41001420	W-GV/3 Mitsubishi **)		E	10.990,-
60202001	DC PowerCube 12/200 - 200A main output	incl. 2. output 12 V / 20 A ***)	P	1.995,-
60202002	DC PowerCube 24/150 - 150A main output	incl. 2. output 12 V / 20 A ***)	P	1.995,-
60202003	DC PowerCube 48/75 - 75A main output	incl. 2. output 12 V / 20 A ***)	P	1.995,-
ACCESSORIES & OPTIES				
40230671	TOP-COOL Radiator		U	At request
40201325	Dry exhaust kit (1")		H	670,-
40230205	Fuel Kit		U	120,-
40290061	12V / 80Ah AGM starter battery		K	193,-
40222204	WPL-10w40 General, Motoroil, 4 litre		V	39,-
40222214	WPL Coolant G12, Coolant, 4 litre		V	27,-

W-SC 6 DIESEL GENERATOR 3000 / 3600 RPM SUPER COMPACT SERIES				
40902020	W-SC 6P 230V / 50Hz Polyester soundshield		F	9.285,-
41102020	W-SC 6 230V / 50Hz		F	9.995,-
REMOTE CONTROL FOR WHISPER GENERATOR				
40209102	DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel		V	307,-
ACCESSORIES & OPTIONS				
40230626	TOP-COOL radiator		H	At request
40201879	Kit radiator cooling motor		H	1.049,-
40201878	Kit radiator cooling generator		H	1.048,-
40201882	Control two fan speeds		H	491,-
40201326	Dry exhaust kit (1") combi silencer		H	330,-
40201320	Dry exhaust kit 1"		H	1.020,-
40230205	Fuel kit		U	124,-

W-SC 10 DIESEL GENERATOR 3000 / 3600 RPM SUPER COMPACT SERIES				
41104020	W-SC 10 230V / 50Hz		F	11.531,-
REMOTE CONTROL FOR WHISPER GENERATOR				
40209102	DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel		V	307,-
ACCESSORIES & OPTIONS				
40230627	TOP-COOL radiator		H	At request
40201864	Kit radiator cooling motor		H	1.048,-
40201878	Kit radiator cooling generator		H	1.048,-
40201882	Control two fan speeds		H	491,-
40201875	Dry exhaust kit 1 1/2"		H	1.138,-
40230205	Fuel kit		U	124,-

W-SQ 6 DIESEL GENERATOR 1500 / 1800 RPM SUPER QUIET SERIES				
41105020	W-SQ 6 230V / 50Hz		G	11.629,-
REMOTE CONTROL FOR WHISPER GENERATOR				
40209102	DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel		V	307,-
ACCESSORIES & OPTIONS				
40230626	TOP-COOL radiator		H	At request
40201879	Kit radiator cooling motor		H	1.049,-
40201878	Kit radiator cooling generator		H	1.048,-
40201882	Control two fan speeds		H	491,-
40201875	Dry exhaust kit 1 1/2"		H	1.138,-
40230205	Fuel kit		U	124,-

W-SQ 8 DIESEL GENERATOR 1500 / 1800 RPM SUPER QUIET SERIES				
41106020	W-SQ 8 230V / 50Hz		G	12.973,-
REMOTE CONTROL FOR WHISPER GENERATOR				
40209102	DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel		V	307,-
ACCESSORIES & OPTIONS				
40230628	TOP-COOL radiator		H	At request
40201864	Kit radiator cooling motor		H	1.048,-
40201878	Kit radiator cooling generator		H	1.048,-
40201882	Control two fan speeds		H	491,-
40201875	Dry exhaust kit 1 1/2"		H	1.138,-
40230205	Fuel kit		U	124,-

W-SQ 12 DIESEL GENERATOR 1500 / 1800 RPM SUPER QUIET SERIE				
41107020	W-SQ 12 230V / 50Hz		G	15.399,-
REMOTE CONTROL FOR WHISPER GENERATOR				
40209102	DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel		V	307,-
ACCESSORIES & OPTIONS				
41107320	3-phase 3 x 230/400V output	Optional	G	15.656,-
40230629	TOP-COOL radiator		H	At request
40201877	Kit radiator cooling motor		H	1.216,-
40201878	Kit radiator cooling generator		H	1.048,-
40201882	Control two fan speeds		V	491,-
40201875	Dry exhaust kit 1 1/2"		H	1.138,-
40230205	Fuel kit		U	124,-



W-SC 6



W-SC 10



W-SQ 6



W-SQ 8



W-SQ 12





W-SQ 16



W-SQ 20

WhisperPower
TOP-COOL Radiator

W-SQ 16 DIESEL GENERATOR 1500 / 1800 RPM SUPER QUIET SERIE			
41108020	W-SQ 16 230V / 50Hz	G	16.887,-
REMOTE CONTROL FOR WHISPER GENERATOR			
40209102	DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel	V	307,-
ACCESSORIES & OPTIONS			
41108320	3-phase 3 x 230/400V output	Optional	G 17.402,-
40230630	TOP-COOL radiator		H At request
40201877	Kit radiator cooling motor		H 1.216,-
40201888	Kit radiator cooling generator		H 1.044,-
40201882	Control two fan speeds		H 491,-
40201875	Dry exhaust kit 1 1/2"		H 1.020,-
40230205	Fuel kit		U 124,-

W-SQ 20 DIESEL GENERATOR 1500 / 1800 RPM SUPER QUIET SERIE			
41101220	W-SQ 20 230V / 50Hz	G	19.565,-
REMOTE CONTROL FOR WHISPER GENERATOR			
40209102	DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel	V	307,-
ACCESSORIES & OPTIONS			
40230632	TOP-COOL radiator		H At request
40201897	Kit radiator cooling motor		H 2.441,-
40201889	Dry exhaust kit 2"		H 1.489,-
40230205	Fuel kit		U 124,-

W-SQ 27 DIESEL GENERATOR 1500 / 1800 RPM SUPER QUIET SERIE			
41201320	W-SQ 27 230V-400V / 50Hz	G	20.664,-
REMOTE CONTROL FOR WHISPER GENERATOR			
40209102	DDC remote control panel: Standard supplied for every Whisper generator. Optional Additional 2 nd panel	V	307,-
ACCESSORIES & OPTIONS			
40230632	TOP-COOL radiator		H At request
40201898	Kit radiator cooling motor W-SQ 27		H 2.441,-
40201889	Dry exhaust kit 2"		H 1.489,-
40230205	Fuel kit		U 124,-

RADIATORS FOR COOLING OF THE MOTOR AND ALTERNATOR			
40201880	W-SC6 radiator kit generator part 230V		H 469,-
40201881	W-SC6 radiator kit motor 230V		H 580,-

KIT RADIATOR COOLING - SIDE MOUNTING			
40201878	Kit radiator cooling generator for the W-SC 10, W-SQ 6, W-SQ 8, W-SQ 12		H 1.049,-
40201879	Kit radiator cooling motor for the W-SC 6 and W-SQ 6		H 1.048,-
40201864	Kit radiator cooling motor for the W-SC 10 and W-SQ 8		H 1.048,-
40201877	Kit radiator cooling motor for the W-SQ 12 and W-SQ 16		H 1.216,-
40201888	Kit radiator cooling generator for the W-SQ 16		H 1.044,-
40201897	Kit radiator cooling motor for the W-SQ 20		H 2.441,-
40201898	Kit radiator cooling motor for the W-SQ 27		H 2.441,-

WHISPERPOWER TOP-COOL RADIATOR FOR ROOF INSTALLATION			
40230626	TOP-COOL Radiator for the W-SC 6 and W-SQ 6		H At request
40230627	TOP-COOL Radiator for the W-SC 10		H At request
40230628	TOP-COOL Radiator for the W-SQ 8		H At request
40230629	TOP-COOL Radiator for the W-SQ 12		H At request
40230630	TOP-COOL Radiator for the W-SQ 16		H At request
40230631	TOP-COOL Radiator for the W-SQ 12 3ph and W-SQ 16 3ph		H At request
40230632	TOP-COOL Radiator for the W-SQ 20 and W-SQ 27		H At request

DRY EXHAUST KIT			
40201325	Dry exhaust kit 1" for the W-GV4 and W-GV7i		H 670,-
40201326	Dry exhaust kit 1" for the W-GV4/7i, W-SC 6 combination of absorbtion and resonantion muffler		H 330,-
40201320	Dry exhaust kit 1" for the W-SC 6		H 1.020,-
40201875	Dry exhaust kit 1 1/2" for the W-SC 10, W-SQ 6, W-SQ 8, W-SQ 12 and the W-SQ 16		H 1.138,-
40201889	Dry exhaust kit 2" for the W-SQ 27		H 1.489,-

Solar (diesel) System kits

SYSTEM S 1			
42001201	12V / 145Ah / 400W 0.5 - 1 kWh • Solar Charge Controller 15A • NEW!		
	Battery pack 12V / 145Ah • Inverter Power 400W		
	Pre-assembled in closed cabinet • Solar Power 90WP (1 module of 90WP)	Q	952,-
SYSTEM S 2			
42001202	12V / 145Ah / 1000W 0.5 - 1 kWh • Solar Charge Controller 15A • NEW!		
	Battery pack 12V / 145Ah • Inverter Power 1000W		
	Pre-assembled in closed cabinet • Solar Power 250WP (1 module of 250WP)	Q	1.269,-
SYSTEM S 3			
42001203	12V / 145Ah / 2000W - 2 kWh • Solar Charge Controller 15A • NEW!		
	Battery pack 12V / 290Ah • Inverter Power 2000W		
	Pre-assembled in closed cabinet • Solar Power 500WP (2 modules of 250WP)	Q	1.995,-
SYSTEM S 4			
42002401	24V / 260Ah / 3000W - 3 kWh • Solar Charge Controller WP-Suntrack 65A • NEW!		
	Battery pack 24V / 260Ah • Inverter Power 3000W		
	Pre-assembled in closed cabinet • Solar Power 1500WP (6 modules of 250WP)		
	Also suitable as UPS, batteries can be charged by generator/Grid power	Q	5.990,-
SYSTEM S 5			
42004801	48V / 290Ah / 4000W - 7 kWh • Solar Charge Controller WP-Suntrack 65A* • NEW!		
	Battery pack 48V / 520Ah • Inverter Power 4000W**		
	Digital Energy Menu Panel • Pre-assembled on frame		
	Also suitable as UPS, batteries can be charged by generator/Grid power	Q	6.000,-

* System suitable for max. 21 panels

** Combi inverter/charger with UPS Function. 4kW power, 12kW peak 48V-50A charger on mains or genset


GRID INDEPENDER (DIESEL GENERATOR INCLUDED)			
42004800	48V / 520Ah / 4000W - 10 kWh • Solar Charge Controller 65A • NEW!		
	Battery pack 48V / 520Ah • Inverter Power 4000W, total AC Power 7.5kW**		
	Digital Energy Menu Panel • Diesel backup generator 3.8 kVA		
	Pre-assembled on frame • Also suitable as UPS, batteries can be charged by generator/Grid power	Q	10.250,-

* System suitable for max. 21 panels

** Combi inverter/charger with UPS Function. 4kW power, 12kW peak 48V-50A charger on mains or genset



Compact 'S-version'



Open 'XXL-version'

W-TG 3000 PORTABLE DIESEL GENERATOR			
41401001	W-TG3000 230V / 50Hz 2.8KVA - Transportable Generator	Z	1.298,-
41402001	W-TG5000 230V / 50Hz 4.2KVA - Transportable Generator	Z	1.819,-
41403001	W-TG10000 230V / 50Hz 10KVA - Transportable Generator	Z	4.699,-
40230280	Wheel Kit	Z	59,-



Terms and Conditions of Sale

WhisperPower's service and support goes way beyond production and sales. We remain responsible for our products, systems and accessories, providing all necessary service and support before, during and after your purchase. This ranges from system recommendations and installation to first class service for maintenance and repairs.



Terms and Conditions

- Prices: Retail prices in Euros, excl. VAT, valid from **1 February 2014**
- Prices may change without notice
- Delivery Term: FCA Drachten
- Warranty to end users: 24 months from date of purchase **from the factory/ in The Netherlands**
- 5 year limited warranty optional
- All our quotations, sales, deliveries and services are subject to our General conditions - **Chambre of Commerce nr**

Return of goods

We advise you to have all returns coordinated by your nearest WhisperPower distributor, dealer. All returns are subject to the following conditions:

- An RMA (Return Materials Authorization) registration number is necessary for all returns. This number has to be specified on

- all packages and documentation after contacting Whisper Power Sales/Service.
- Postage for all returns sent to Drachten must be paid. No freight, transaction or import duties can be charged to WhisperPower, unless otherwise agreed.
- Returns have to be provided with the right documentation, including telephone numbers, contacts, return addresses and a clear description of the reason for return.
- WhisperPower has to charge the costs when products are not provided in original and undamaged packaging, or when the delivery is incomplete. This will be deducted at the credit invoice.

Bespoke system advice

Our engineers and advisors have a wealth of experience in the development and realisation of electrical power systems and are always available to help you plan your own. This

includes installing a genset or genverter and more complex systems. Our designers will ensure the ideal set-up and a system with optimal efficiency, even when combining your generator system with fuel cells or solar or wind generator power.

Global sales & distribution network

The growing network of WhisperPower dealers and distributors covers the world. Our international brand is locally represented by companies including bodywork manufacturers, shipyards, electrical and mechanical contractors and sector specific companies. Their trained specialists and professionals are available for servicing mobile, marine or domestic applications.

Commissioning and system set-up

Whenever possible, WhisperPower's technical team will take care of commissioning of your power system as soon as it is delivered. In several countries this service is included in our product offering. This ensures that your system

is installed in accordance with the right guidelines and conditions. Contact us for more information about the terms and conditions.

Our starting point: On-site service

The representatives in our network will provide you with service and technical support in case of repairs or malfunctions. Where possible they will help you on site, wherever you may be in the world.

24/7 Hotline for Service & Support

Our technical service is available in case of malfunctions or repairs. Contact us directly 24/7 from anywhere in the world via the international WhisperPower Hotline Service & Support line on +31 512 571 555. We will provide support ourselves where possible, or put you in contact with our local representative.

Periodical training: Up-to-date expertise

Expertise is the foundation for the best service. Every WhisperPower representative has

up-to-date knowledge and the benefit of our global experience. Via periodical training courses we ensure our specialists have the latest information on installations and applications as well as our product range. As a result you are guaranteed that WhisperPower offers more than product and packaging: We offer you our expertise as standard.

Minimal downtime during repairs

If necessary, WhisperPower will carry out repairs or maintenance of our products at another location, in a regional workshop or at our head office. In most cases you will be provided with a replacement solution to ensure that your system downtime is kept to a minimum.

Up-to-date product specifications

Detailed specifications of the WhisperPower products are available on our website and in brochures and manuals. As we are continuously improving our products, specifications are subject to change without notice.



WhisperPower WarrantyPlan

When purchasing our products and systems, you always have the certainty of a dedicated WhisperPower WarrantyPlan. This plan covers as standard the costs of repairs and/or replacement of defective parts when products are used in 'normal' circumstances.

The conditions for the WhisperPower WarrantyPlan are specific to the product and the use thereof in your system. The standard warranty term for equipment is two years.

With an authorised system installations maintenance contract, the warranty term is extended to five years.

The warranty term for generator systems is based on a maximum number of operating hours. For 3000/3600 rpm sets the maximum is 1000 operating hours, for 1500/1800 rpm sets and our Genverter 71 and 50/100/200/kW models the limit has been set at 2000 operating hours.



Order: sales@whisperpower.com • marine • mobile • autonomous/land • www.whisperpower.com